

Veröffentlichungen

- Osterland, S., Adli, M., Saritas, T., Schlattmann, P., Behr, J., Müller-Mertel, R., Hoffmann, K., Stamm, T., Bschor, T., Richter, C., **Steinacher, B.**, Jockers-Scherübl, M., Köhler, S., Heinz, A., Ricken, R., Buspavanich, P. (2023): Acute effects of lithium augmentation on the kidney in geriatric compared to non-geriatric patients with treatment-resistant depression. *Acta Psychiatrica Scandinavica*, 147 (3), 267-275.
- Berger, M., Kermer, J., Behr, J., Schulz-Menger, J., Bilal, S., Osterland, S., O'Malley, G., Bschor, T., Schlattmann, P., Stamm, T., **Steinacher, B.**, de Millas, W., Richter, C., Heinz, A., Adli, M., Buspavanich, P., Ricken, R. (2022): Electrocardiographic Changes During Initiation of Lithium Augmentation of Antidepressant Pharmacotherapy. *Journal of Clinical Psychopharmacology*, 42 (1), 87-91.
- Buspavanich, P., Adli, M., Himmerich, H., Berger, M., Busche, M., Schlattmann, P., Bopp, S., Bschor, T., Richter, C., **Steinacher, B.**, Stoppel, C., Hindinger, C., Meyer, S., Hoffmann, K., Stamm, T., Gabriel, A., Merkl, A., Goerke-Arndt, F., Köhler, S., Sterzer, P., Heinz, A., Behr, J., Fakhri, H., Lang, F., Lang, U., Ricken, R. (2021): Faster speed of onset of the depressive episode is associated with lower cytokine serum levels (IL-2, -4, -6, -10, TNF- α and IFN- γ) in patients with major depression. *Journal of Psychiatric Research*, 141, 287-292.
- Guhn, A., **Steinacher, B.**, Merkl, A., Sterzer, P., Köhler, S. (2019). Reply: Negative mood induction: Affective reactivity in recurrent, but not persistent depression. *PLoS One*, 14(3), e0213761. doi: 10.1371/journal.pone.0213761, eCollection 2019.
- Guhn, A., **Steinacher, B.**, Merkl, A., Sterzer, P., Köhler, S. (2019). Affective reactivity in recurrent, but not persistent depression. *PLoS One*, 14(1), e0208616. doi: 10.1371/journal.pone.0208616, eCollection 2019.
- Bopp, S.K., Heilbronner, U., Schlattmann, P., Mühleisen, T.W., Bschor, T., Richter, C., **Steinacher, B.**, Stamm, T.J., Merkl, A., Herms, S., Köhler, S., Sterzer, P., Hellweg, R., Heinz, A., Cichon, S., Lang, U.E., Schulze, T.G., Adli, M., Ricken, R. (2019). Leptin gene polymorphisms are associated with weight gain during lithium augmentation in patients with major depression. *European Neuropsychopharmacology*, 29, 211-221.
- Garbusow, M., Schad, D.J., Sebold, M., Friedel, E., Bernhardt, N., Koch, S.P., **Steinacher, B.**, Kathmann N, Paul, S., Wittchen, H.U., Walter, H., Smolka, M.N., Sterzer P, Heinz, A. (2016). Pavlovian-to-instrumental transfer effects in the nucleus accumbens relate to relapse in alcohol dependence. *Addiction Biology*, 21(3), 719-731.

- Richter, C., **Steinacher, B.**, Eschenhoff, A.z., Bermpohl, F. (2016). Psychotherapy of Borderline Personality Disorder: Can the supply meet the demand? A german nationwide survey in DBT inpatient and day clinic treatment facilities. *Community Mental Health Journal*, 52(2), 212-215.
- Köhler, S., Unger, T., Hoffmann, S., **Steinacher, B.**, Fydrich, T. (2015). Patient satisfaction with inpatient psychiatric treatment and its relation to treatment outcome in unipolar depression and schizophrenia. *International Journal of Psychiatry in Clinical Practice*, 19(2), 119-123.
- Richter, C., **Steinacher, B.**, Eschenhoff, A.z., Bermpohl, F. (2014). Stationäre und teilstationäre DBT-Persönlichkeitsstörung – Ergebnisse einer deutschlandweiten Umfrage. *Verhaltenstherapie*, 24, 265-271.
- Richter, C., Heinemann, B., Kehn, M. & **Steinacher, B.** (2014). Effectiveness of Dialectical Behavior Therapy (DBT) in an outpatient clinic for borderline personality disorders: impact of medication use and treatment costs. *Psychiatrische Praxis*, 41(3), 148-152.
- Koehler, S., Unger, T., Hoffmann, S., **Steinacher, B.**, Fydrich, T. (2013). Acute and long-term treatment outcome in depressed inpatients with vs. without anxious features: results of a one-year follow-up study. *Journal of affective disorders*, 150(3), 1055-61.
- Ricken, R., Adli, M., Lange, C., Krusche, E., Stamm, T., Gaus, S., Koehler, S., Nase, S., Bschor, T., Richter, C., **Steinacher, B.** et al. (2013). Brain-derived neurotrophic factor serum concentrations in acute depressive patients increase during lithium augmentation of antidepressants. *Journal of clinical psychopharmacology*, 33(6), 806-809.
- Koehler, S., Unger, T., Hoffmann, S., **Steinacher, B.**, Fydrich, T., Bschor, T. (2013). Comparing augmentation with non-antidepressants over sticking to antidepressants after treatment failure in depression: a naturalistic study. *Pharmacopsychiatry* 46(2), 69-76.
- Steinacher, B.** (2013) In reply. *Deutsches Ärzteblatt international*, 110(12), 211-2.
- Koehler, S., Hoffmann, S., Unger, T., **Steinacher, B.**, Dierstein, N. & Fydrich, T. (2013) Effectiveness of cognitive-behavioral therapy plus pharmacotherapy in inpatient treatment of depressive disorders. *Clinical psychology & psychotherapy* 20(2), 97-106.
- Koehler, S., Hoffmann, S., Unger, T., **Steinacher, B.** & Fydrich, T. (2012). Adherence to guidelines and effectiveness of inpatient treatment for unipolar depression. *International journal of psychiatry in clinical practice*, 16(2), 103-12.

- Steinacher, B.**, Mausolff, L & Gusy, B. (2012). The effects of a clinical care pathway for schizophrenia: a before and after study in 114 patients. *Deutsches Ärzteblatt international* 109(46), 788-94.
- Proest, G., Zschernack, T., Stelzig, M. & **Steinacher, B.** (2009). Severe delirium in withdrawal from chronic gamma-hydroxybutyric acid consumption. *Der Nervenarzt*, 80(5), 607-8.
- Steinacher, B.**, Mackert, A. (2008). Lichttherapie. In T. Bschor (Hg.), *Behandlungsmanual therapieresistente Depression Pharmakotherapie, somatische Therapieverfahren, Psychotherapie* (S. 274-281). Kohlhammer, Stuttgart.
- Mackert, A., **Steinacher, B.** (2005). Lichttherapie. In M. Bauer, A. Berghöfer & M. Adli (Hg.), *Akute und therapieresistente Depressionen* (S. 325-338). Springer, Berlin.
- Steinacher, B.**, Mausolff, L., Mackert, A. & Gusy, B. (2005). Einfluss eines Behandlungspfades für schizophrene Psychosen auf die klinische Versorgung. Abstract in: *Der Nervenarzt*, 76 (Supplement 1), 32.
- Steinacher, B.**, Gusy, B., Mausolff, L. & Mackert, A. (2004). Effekte der Einführung einer Leitlinie zur Behandlung schizophrener Psychosen. Abstract in: *Der Nervenarzt*, 75 (Supplement 2), 359.
- Flechtner, K.-M., **Steinacher, B.**, Sauer, R. & Mackert, A. (2002). Smooth pursuit eye movements of patients with schizophrenia and affective disorder during clinical treatment. *European Archives of Psychiatry and Clinical Neuroscience*, 252 (2), 49-53.
- Mahlberg, R., **Steinacher, B.**, Mackert A. & Flechtner, K.-M. (2001). Basic parameters of saccadic eye movements – differences between unmedicated schizophrenia and affective disorder patients. *European Archives of Psychiatry and Clinical Neuroscience*, 251 (5), 205-210.
- Flechtner, K.-M., **Steinacher, B.**, Sauer,R. & Mackert, A. (2000). Subthreshold symptoms and vulnerability indicators (e.g. eye tracking dysfunction) in schizophrenia. *Comprehensive Psychiatry* 41, Suppl. 2: 86-89.
- Mahlberg, R., **Steinacher, B.**, Mackert, A. & Flechtner, K.-M. (2000). Basic parameters of saccadic eye movements: Differences between schizophrenia and affective disorder patients. Abstract in: *European Archives of Psychiatry and Clinical Neuroscience*, 250 (Supplement 1), 134.
- Steinacher, B.**, Reischies, F.-M. & Stieglitz, R.-D. (1998). Verlaufserfassung der Befindlichkeit bei depressiven Patienten. *Der Nervenarzt*, 69, 586-591 .
- Steinacher, B.**, Flechtner, K.-M., Mahlberg, R. & Mackert, A. (1998). Eye tracking dysfunction in schizophrenia: A 2-year follow-up study. Abstract in: *European Archives of Psychiatry and Clinical Neuroscience*, 248 (Supplement 2), 107.

- Flechtner, K.-M., **Steinacher, B.**, Helle, M. & Mackert, A. (1998). Eye tracking dysfunction in first degree relatives of schizophrenics and depressive patients. *Schizophrenia Research* 29 (1-29), 139.
- Flechtner, K.-M., **Steinacher, B.**, Helle, M. & Mackert, A. (1998). Smooth pursuit eye movement dysfunction in first degree relatives of schizophrenic patients. Abstract in: *5th World Congress on Innovations in Psychiatry*, London.
- Flechtner, K.-M., **Steinacher, B.**, Sauer, R. & Mackert, A. (1997). Smooth pursuit eye movements in schizophrenia and affective disorder. *Psychological Medicine*, 27 (6), 1411-1419.
- Steinacher, B.**, Flechtner, K.-M. & Mackert, A. (1996). Augenbewegungsstörungen bei schizophrenen Patienten im Verlauf einer stationären Behandlung. Abstract in: *Fortschritte der Neurologie, Psychiatrie*, 64 (Sonderheft 2), 98.
- Flechtner, K.-M., **Steinacher, B.**, Helle, M. & Mackert, A. (1996). Eye tracking dysfunction in first degree relatives of schizophrenics and depressive patients. Abstract in: *Schizophrenia Research*, 29, 139.
- Mackert, A., Flechtner, K.-M., Sauer, R., **Steinacher, B.** & Traversi, S. (1996). Die nosologische Spezifität und zeitliche Stabilität von Augenfolgebewegungsstörungen bei schizophrenen Patienten. In H.-J. Möller, F. Müller-Spahn & G. Kurtz (Hg.), *Aktuelle Perspektiven der Biologischen Psychiatrie* (S. 599-606). Springer, Wien.
- Flechtner, K.-M., **Steinacher, B.**, Sauer, R. & Mackert, A. (1996). Smooth pursuit eye movements in schizophrenia and major depression. Abstract in: *Schizophrenia Research*, 18, 215.
- Flechtner, K.-M., Mackert, A., Sauer, R., **Steinacher, B.** & Traversi, S. (1996). Alters- und Geschlechtseffekte auf langsame Augenfolgebewegungen, einen möglichen Vulnerabilitätsindikator für Schizophrenie. In H.-J. Möller, F. Müller-Spahn & G. Kurtz (Hg.), *Aktuelle Perspektiven der Biologischen Psychiatrie* (S. 584-585). Springer, Wien.
- Flechtner, K.-M., **Steinacher, B.**, Sauer, R. & Mackert, A. (1995). Eye tracking dysfunctions in schizophrenic and depressed patients. Abstract in: *Society for Neuroscience*, 25th annual meeting, San Diego.
- Mackert, A., Flechtner, K.-M., Sauer, R., **Steinacher, B.** & Traversi, S. (1994). Die nosologische Spezifität und zeitliche Stabilität von Augenfolgebewegungsstörungen bei schizophrenen Patienten. Abstract in: *Fortschritte der Neurologie, Psychiatrie*, 62 (Sonderheft 2), 58.
- Flechtner, K.-M., Mackert, A., Sauer, R., **Steinacher, B.** & Traversi, S. (1994). Alters- und Geschlechtseffekte auf langsame Augenfolgebewegungen, einen möglichen

Vulnerabilitätsindikator für Schizophrenie. Abstract in: *Fortschritte der Neurologie, Psychiatrie*, 62 (Sonderheft 2), 114.

Diefenbacher, A., Linden, M., **Steinacher, B.** & Gillert, U. (1993). Stabilität und Fluktuation als Merkmal Neurologischer Soft-signs. In P. Baumann (Hg.), *Biologische Psychiatrie der Gegenwart* (S. 751-755). Springer, Berlin.